ER-2 X-band Doppler Radar (EXRAD) Nadir

Data Description

ALOFT 2023 Level 1B RevA Data Description

Gerald Heymsfield, Lihua Li, Matt McLinden, Peter Pantina, 2024/05/22

EXRAD Level 1B data consist of calibrated radar products (reflectivity, Doppler velocity, spectrum width, normalized radar cross section) with associated time and spatial information. The data products have been processed with a running average, sampled every 0.5 seconds (NEW FOR 2023).

NOTE: Rev A added noiseFloor variable and reduced precision of some variables. SpectrumWidth is not available for 2023, and correction for horizontal wind intrusion was not done for ALOFT.

Level 1B data is in a nested HDF5 file. Groups are:

- /Information (for general information)
 - /Time (for timestamps)
 - o /Data

•

- o Information
- /Products (for radar data products)
 - o /Data
 - o /Information
- /Navigation (for radar position and pointing information)
 - o /Data
 - o /Information

This RevA data does not use HDF5 attributes, so most data fields have associated data fields describing the information and units. Look in the '/Information' subgroups. For example, the description of radar reflectivity ('/Products/Data/dBZe') is found in /Products/Information/dBZe_description. These 'units' and 'description' fields are not listed in this document.

Please contact Matt L. Walker McLinden (matthew.l.mclinden@nasa.gov) with questions or comments about this data.

Data Field	Units	Dims.	Information	
/Information - General Information				
Aircraft	Text		Aircraft ('NASA ER-2')	
DataContact	Text		Matthew L. Walker McLinden,	
			('matthew.l.mclinden@nasa.gov')	
ExperimentName	Text		IMPACTS2022	
FlightDate	Text		Flight date	
InstrumentPI	Text		Instrument PI, ('Gerry	
			Heymsfield, NASA/GSFC')	

	Tout		IIA File Dreese Data
L1A ProcessDate	Text		L1A File Process Date
L1B_ProcessDate	Text		L1B File Process Date
L1B_Revision	Text		Revision Letter
L1B_Revision_	Text		Describes updates per revision.
Note			
MissionPI	Text		Mission PI, (`Lynn McMurdie,
			University of Washington')
RadarName	Text		Radar Name
/Time/Data - Tim	e Data	<u> </u>	
TimeUTC	Seconds	Time	UTC profile time in Unix Epoch format (seconds since 1970).
			Obtained from aircraft NTP. Note that there is a profile every 0.25 seconds, however profiles
			are overlapping. See ResolutionHorizontal6dB for
		1	horizontal resolution.
/Time/Informatio		-	
TimeUTC	Seconds	1	Time of 0 UTC, Jan 01, 2020, for
01Jan2020			reference if the user does not
			have an easy Linux time converter
/Products/Data -			
dBZe	10*log1	Range,	Equivalent reflectivity factor in
	0	Time	dB with 1-sigma noise threshold
	(mm^6		applied. $ K ^2 = 0.92$. Use
	/m^3)		/Products/Information/MaskCoPol
			or /Products/Information/SNR for
			thresholding other than 1-sigma.
Velocity	m/s	Range,	Doppler velocity with aircraft
uncorrected		Time	motion correction and 1-sigma
		_	noise threshold applied. Positive
			velocity is upward. Use
			/Products/Information/MaskCoPol
			for thresholding other than 1-
			sigma. Possible intrusion of
			horizontal winds into the Doppler
1			measurement due to slight off-
			nadir pointing. Check Navigation
			nadir pointing. Check Navigation data (roll/pitch) to estimate the impact or contact the radar team.

Velocity	m/s	Pango	Doppler velocity with aircraft
	m/ 5	Range, Time	
corrected		TIME	<pre>motion, non-uniform beam filling (NUBF), and horizontal wind</pre>
			intrusion corrections applied.
			Positive velocity is upward. NUBF
			correction is estimated based on
			the local reflectivity gradient.
			HRRR reanalysis winds were
			interpolated to the flight grid,
			converted to along/cross track
			components and scaled by aircraft
			pitch/roll to create an offset.
SpectrumWidth	m/s	Range,	Doppler velocity spectrum width
		Time	estimate including aircraft
			motion and beamwidth. 1-sigma
			noise threshold applied. Use
			<pre>/Products/Information/MaskCoPol</pre>
			or /Products/Information/SNR for
			thresholding other than 1-sigma.
sigma0	10*log1	Time	Ocean Normalized Radar Cross
_	0 (m^2		Section. Only valid over ocean.
	/m^2)		-
/Products/Inform	mation -	Radar Pr	coduct Information
AircraftMotion	m/s	Time	Estimated aircraft motion in the
			direction of the beam that has
			been subtracted from the Doppler
			estimate.
AircraftTurnFlag	0 or 1	Time	Flag is 1 when plane is flying level
			without turns. Flow is O slowshows
			without turns. Flag is 0 elsewhere.
Antenna	Degrees	1	Antenna 3 dB one-way beamwidth in
Antenna Beamwidth	Degrees	1	Antenna 3 dB one-way beamwidth in degrees.
Beamwidth AntennaSize	meters	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters)
Beamwidth			Antenna 3 dB one-way beamwidth in degrees.
Beamwidth AntennaSize	meters	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters)
Beamwidth AntennaSize	meters	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per
Beamwidth AntennaSize	meters	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are
Beamwidth AntennaSize	meters	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping.
Beamwidth AntennaSize AveragedPulses Frequency	meters #	1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz)
Beamwidth AntennaSize AveragedPulses	meters # Hz	1 1 1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping.
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing	meters # Hz meters	1 1 1 1 1	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters)
Beamwidth AntennaSize AveragedPulses Frequency	meters # Hz	1 1 1 1 Range,	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds,
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing HRRR_AlongWind	meters # Hz meters m/s	1 1 1 1 Range, Time	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid.
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing	meters # Hz meters	1 1 1 1 Range, <u>Time</u> Range,	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid. HRRR cross-track winds,
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing HRRR_AlongWind HRRR_CrossWind	meters # Hz meters m/s m/s	1 1 1 1 Range, <u>Time</u> Range, <u>Time</u>	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid. HRRR cross-track winds, interpreted to the flight grid.
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing HRRR_AlongWind	meters # Hz meters m/s	1 1 1 Range, <u>Time</u> Range, <u>Time</u> Range,	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid. HRRR cross-track winds, interpreted to the flight grid. Co-polarization signal-to-noise
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing HRRR_AlongWind HRRR_CrossWind	meters # Hz meters m/s m/s	1 1 1 1 Range, <u>Time</u> Range, <u>Time</u>	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid. HRRR cross-track winds, interpreted to the flight grid. Co-polarization signal-to-noise mask. (Mask >= N) corresponds
Beamwidth AntennaSize AveragedPulses Frequency GateSpacing HRRR_AlongWind HRRR_CrossWind	meters # Hz meters m/s m/s	1 1 1 Range, <u>Time</u> Range, <u>Time</u> Range,	Antenna 3 dB one-way beamwidth in degrees. Antenna Diameter (0.66 meters) Number of averaged pulses per profile. Note that profiles are not independent, and are overlapping. Radar frequency (9.624 GHz) Range gate spacing (18.737 meters) HRRR along-track winds, interpreted to the flight grid. HRRR cross-track winds, interpreted to the flight grid. Co-polarization signal-to-noise

noiseFloor	Relativ	Time	Uncalibrated estimate of noise floor.
11010011001	e power	11110	
NominalAntenna	Text		Nadir
Pointing			
PRI	Text		'200 us / 250 us staggered'.
			Description of the pulse
			repetition interval.
Range	meters	Range	Range in meters from the aircraft
			of each range gate.
Resolution	meters	Range	Approximate horizontal resolution
Horizontal6dB			defined as the -6 dB width of
			spatial weighting as a function
			of the antenna pattern,
			horizontal averaging, and range.
Resolution	meters	1	Approximate vertical resolution
Vertical6dB			defined as the -6 dB width of the
			range weighting function
SNR	W/W	Range, Time	Estimated signal-to-noise ratio.
Velocity_	m/s	Range,	The horizontal wind offset
horizwind_offset		Time	removed from the NUBF-corrected
			Doppler velocity to yield
			horizontal-wind corrected Doppler
			velocity.
Velocity_	m/s	Range,	The NUBF offset removed from the
nubf_offset		Time	uncorrected Doppler velocity to
			yield NUBF-corrected Doppler
Marral an at h		1	velocity.
Wavelength	m	1	Radar wavelength
/Navigation/Data	a - Navig	ation Da	Radar wavelength
/Navigation/Data	a - Navig degrees	ation Da Time	Radar wavelength Ita Difference between track and heading
/Navigation/Data Drift EastVelocity	a - Navig	ation Da Time Time	Radar wavelength ta Difference between track and heading Eastward portion of velocity
/Navigation/Data	a - Navig degrees	ation Da Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from
/Navigation/Data Drift EastVelocity Heading	m - Navig degrees m/s degrees	ation Da Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward.
/Navigation/Data Drift EastVelocity Heading Height	a - Navig degrees m/s degrees meters	ation Da Time Time Time Time	Radar wavelength ta Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level.
/Navigation/Data Drift EastVelocity Heading Height Latitude	a - Navig degrees m/s degrees meters degrees	ation Da Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude	<pre>m - Navig degrees m/s degrees meters degrees degrees</pre>	ation Da Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude
/Navigation/Data Drift EastVelocity Heading Height Latitude	a - Navig degrees m/s degrees meters degrees	ation Da Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude	<pre>m - Navig degrees m/s degrees meters degrees degrees</pre>	ation Da Time Time Time Time Time Time	Radar wavelength ta Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude	<pre>m - Navig degrees m/s degrees meters degrees degrees</pre>	ation Da Time Time Time Time Time Time	Radar wavelength ta Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude	<pre>m - Navig degrees m/s degrees meters degrees degrees</pre>	ation Da Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance	a - Navig degrees m/s degrees meters degrees degrees meters	ation Da Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting.
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance	<pre>m - Navig degrees m/s degrees meters degrees degrees meters meters meters meters</pre>	ation Da Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance	<pre>m - Navig degrees m/s degrees meters degrees degrees meters meters meters meters meters</pre>	ation Da Time Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity Pitch
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance NorthVelocity Pitch Roll	<pre>A - Navig degrees m/s degrees meters degrees degrees meters meters degrees meters </pre>	ation Da Time Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity Pitch Roll
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance	<pre>m - Navig degrees m/s degrees meters degrees degrees meters meters meters meters meters</pre>	ation Da Time Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity Pitch Roll Direction of motion in degrees
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance NorthVelocity Pitch Roll	<pre>A - Navig degrees m/s degrees meters degrees degrees meters meters degrees meters </pre>	ation Da Time Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity Pitch Roll Direction of motion in degrees from north. 90 degrees is
/Navigation/Data Drift EastVelocity Heading Height Latitude Longitude NominalDistance NorthVelocity Pitch Roll	<pre>A - Navig degrees m/s degrees meters degrees degrees meters meters degrees meters </pre>	ation Da Time Time Time Time Time Time Time Time	Radar wavelength ata Difference between track and heading Eastward portion of velocity Aircraft heading in degrees from north. 90 degrees is Eastward. Aircraft height above sea level. Latitude Longitude Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. Northward portion of velocity Pitch Roll Direction of motion in degrees

dxdr	m/m	Time	Data cross-track distance from aircraft per radar range. Positive is in the starboard direction.
dydr	m/m	Time	Data along-track distance from aircraft per radar range. Positive is in the forward direction.
dzdr	m/m	Time	Data vertical distance from the aircraft per radar range. Positive is in upward direction.