Cloud Radar System (CRS) Data Description

IMPACTS 2022 Level 1B RevB Data Description

Gerald Heymsfield, Lihua Li, Matt McLinden, Peter Pantina, 2024/05/22

CRS Level 1B data consist of calibrated radar products (reflectivity, linear depolarization ratio, Doppler velocity, normalized radar cross section) with associated time and spatial information. The data products have been processed with a running average, sampled every 0.25 seconds.

NOTE: Rev B added noiseFloor variable and reduced precision of some variables; adjusted CRS calibration coefficient by -2.2dbZe from RevA.

Please contact Matt L. Walker McLinden (matthew.l.mclinden@nasa.gov) with questions or comments about this data.

Level 1B data is in a nested HDF5 file. Groups are:

/Information (general information)

/Time (time)
/Time/Data (time data)

/Time/Information (auxiliary time information & units)

/Products (radar data)

/Products/Data (radar data products)

/Products/Information (radar data product information & units)

/Navigation (radar position and pointing)

/Navigation/Data (radar position data)

/Navigation/Information (radar position information & units)

This RevB data does not use HDF5 attributes, so most data fields have associated data fields describing the information and units. Look in the '/Information' subgroups. For example, the description of radar reflectivity ('/Products/Data/dBZe') is found in /Products/Information/dBZe_description. These 'units' and 'description' fields are not listed in this document.

| Data Field | Units | Dim. | Information | | |
|------------------------------------|-------|------|---------------------------------|--|--|
| /Information - General Information | | | | | |
| Aircraft | Text | | Aircraft ('NASA ER-2') | | |
| DataContact | Text | | Matthew L. Walker McLinden, | | |
| | | | ('matthew.l.mclinden@nasa.gov') | | |
| ExperimentName | Text | | IMPACTS2022 | | |
| FlightDate | Text | | Flight date | | |
| InstrumentPI | Text | | Instrument PI, ('Matthew Walker | | |
| | | | McLinden, NASA/GSFC') | | |
| L1A_ProcessDate | Text | | L1A File Process Date | | |
| L1B_ProcessDate | Text | | L1B File Process Date | | |
| L1B_Revision | Text | | Revision Letter | | |
| L1B_Revision_ | Text | | Describes updates per revision. | | |
| Note | | | | | |
| MissionPI | Text | | Mission PI, ('Lynn McMurdie, | | |
| | | | University of Washington') | | |
| RadarName | Text | | Radar Name ('CRS') | | |

| /Time/Data - Time | Data | | |
|---------------------|-----------------|----------|---------------------------------------|
| TimeUTC | Seconds | Time | UTC profile time in Unix Epoch format |
| | | | (seconds since 1970). Obtained from |
| | | | aircraft NTP. Note that CRS produces |
| | | | a profile every 0.25 seconds, however |
| | | | profiles are overlapping. |
| /Time/Information | - Auxiliary | Time Inf | |
| TimeUTC | Seconds | 1 | Time of 0 UTC, Jan 01, 2020, for |
| 01Jan2020 | Becomas | _ | reference if the user does not have |
| 0104112020 | | | an easy Linux time converter |
| /Products/Data - Ra | dar Produc | t Data | an easy finax cime converter |
| dBZe | 10*log10 | Range, | Equivalent reflectivity factor in dB |
| azze | (mm^6 | Time | with 1-sigma noise threshold applied. |
| | /m^3) | TIME | $ K ^2 = 0.75$ rather than 0.93 for |
| | /111 3) | | ' ' |
| | | | consistency with CloudSat. Use |
| | | | /Products/Information/MaskCoPol or |
| | | | /Products/Information/SNR for |
| | , | | thresholding other than 1-sigma. |
| Velocity_ | m/s | Range, | Doppler velocity with aircraft motion |
| uncorrected | | Time | correction and 1-sigma noise |
| | | | threshold applied. Positive velocity |
| | | | is upward. Use |
| | | | /Products/Information/MaskCoPol for |
| | | | thresholding other than 1-sigma. |
| | | | Possible intrusion of horizontal |
| | | | winds into Doppler measurement due to |
| | | | slight off-nadir pointing. Check |
| | | | Navigation data (roll/pitch) to |
| | | | estimate impact or contact radar |
| | | | team. |
| Velocity_ | m/s | Range, | Doppler velocity with aircraft motion |
| corrected | | Time | and horizontal wind intrusion |
| | | | corrections applied. Positive |
| | | | velocity is upward. HRRR reanalysis |
| | | | winds were interpolated to the flight |
| | | | grid, converted to along/cross track |
| | | | components and scaled by aircraft |
| | | | pitch/roll to create an offset. |
| SpectrumWidth | m/s | Range, | Doppler velocity spectrum width |
| | | Time | estimate including aircraft motion |
| | | | and beamwidth. 1-sigma noise |
| | | | threshold applied. Use |
| | | | /Products/Information/MaskCoPol or |
| | | | /Products/Information/SNR for |
| | | | thresholding other than 1-sigma. |
| LDR | dB | Range, | Linear Depolarization Ratio with 2- |
| | | Time | sigma co- and cross-polarization |
| | | | noise thresholding applied. Use |
| | | | /Products/Information/MaskCrPol for |
| | | | thresholding other than 2-sigma. |
| sigma0 | 10*log10 | Time | Ocean Normalized Radar Cross Section. |
| _ | (m^2 | | Only valid over ocean. |
| | /m^2) | | _ |
| /Products/Informat: | | Product | Information |
| , | | | |

| AircraftMotion | m/s | Time | Estimated aircraft motion in the |
|--|----------|---------|---------------------------------------|
| | 111, 5 | 110 | direction of the beam that has been |
| | | | subtracted from the Doppler estimate. |
| AircraftTurnFlag | 0 or 1 | Time | Flag is 1 when plane is flying level |
| | | | without turns. Flag is 0 elsewhere. |
| AntennaSize | meters | 1 | Antenna Diameter (0.5 meters) |
| Antenna | degrees | 1 | Antenna 3 dB one-way beamwidth. |
| Beamwidth | degrees | _ | interma 5 ab one way beamwraem. |
| AveragedPulses | # | 1 | Number of averaged pulses per |
| 111 01 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | " | _ | profile. Note that profiles are not |
| | | | independent, and are overlapping. |
| Frequency | Hz | 1 | Radar frequency (94 GHz) |
| GateSpacing | meters | 1 | Range gate spacing (26.25 meters) |
| HRRR AlongWind | m/s | Range, | HRRR along-track winds, interpreted |
| Induc_niongwind | 1117 5 | Time | to the flight grid. |
| HRRR CrossWind | m/s | Range, | HRRR cross-track winds, interpreted |
| muu erosswing | 1117 5 | Time | to the flight grid. |
| MaskCoPol | Special | Range, | Co-polarization signal-to-noise mask. |
| TIABROOF OF | Special | Time | (Mask >= N) corresponds with (SNR > |
| | | | N-sigma) noise thresholding. |
| MaskCrPol | Special | Range, | Cross-polarization signal-to-noise |
| Haskerror | БРССТАТ | Time | mask. (Mask >= N) corresponds with |
| | | TIME | (SNR > N-sigma) noise thresholding. |
| noiseFloor | Relative | Time | Uncalibrated estimate of noise floor. |
| noiseriooi | power | TIME | oncalibrated estimate of horse from: |
| NominalAntenna | Text | | Nadir |
| Pointing | Text | | Nauli |
| PRI | Text | | '224 us / 280 us staggered'. |
| | ICAC | | Description of the pulse repetition |
| | | | interval. |
| Range | meters | Range | Range in meters from the aircraft of |
| Range | mecels | Range | each range gate. |
| Resolution | meters | Range | Approximate horizontal resolution |
| Horizontal6dB | mecers | range | defined as the -6 dB width of spatial |
| HOTTZOHEAT GAD | | | weighting as a function of the |
| | | | antenna pattern, horizontal |
| | | | averaging, and range. |
| Resolution | meters | 1 | Approximate vertical resolution |
| Vertical6dB | mecers | _ | defined as the -6 dB width of the |
| Verereareas | | | range weighting function |
| SNR | W/W | Range, | Estimated Signal-to-Noise Ratio. |
| | '', '' | Time | Documented bighai to holde hatto. |
| Velocity | m/s | Range, | The horizontal wind offset removed |
| horizwind | , - | Time | from the uncorrected Doppler velocity |
| offset | | | to yield corrected Doppler velocity. |
| Wavelength | m | 1 | Radar wavelength |
| /Navigation/Data - | | _ | |
| Drift | degrees | Time | Difference between track and heading |
| EastVelocity | m/s | Time | Eastward portion of velocity |
| Heading | degrees | Time | Aircraft heading in degrees from |
| neaurng | degrees | 1 11116 | north. 90 degrees is Eastward. |
| Height | meters | Time | Aircraft height above sea level. |
| Latitude | | Time | Latitude |
| Longitude | degrees | Time | Longitude |
| Liongitude | degrees | ттине | LONGICULE |

| NominalDistance | meters | Time | Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting. |
|-----------------|---------|------|--|
| NorthVelocity | m/s | Time | Northward portion of velocity |
| Pitch | degrees | Time | Pitch |
| Roll | degrees | Time | Roll |
| Track | degrees | Time | Direction of motion in degrees from north. 90 degrees is Eastward motion. |
| UpVelocity | m/s | Time | Upward velocity. |
| dxdr | m/m | Time | Data cross-track distance from aircraft per radar range. Positive is in the starboard direction. |
| dydr | m/m | Time | Data along-track distance from aircraft per radar range. Positive is in the forward direction. |
| dzdr | m/m | Time | Data vertical distance from the aircraft per radar range. Positive is in upward direction. |