Cloud Radar System (CRS) Data Description

IMPACTS 2023 Level 1B RevA Data Description

Gerald Heymsfield, Lihua Li, Matt McLinden, Peter Pantina, 2024/05/22

CRS Level 1B data consist of calibrated radar products (reflectivity, linear depolarization ratio, Doppler velocity, normalized radar cross section) with associated time and spatial information. The data products have been processed with a running average, sampled every 0.25 seconds.

NOTE: Rev A added noiseFloor variable and reduced precision of some variables. SpectrumWidth is not available for 2023.

Please contact Matt L. Walker McLinden (matthew.l.mclinden@nasa.gov) with questions or comments about this data.

Level 1B data is in a nested HDF5 file. Groups are:

/Information (general information)

/Time (time)
/Time/Data (time data)

/Time/Information (auxiliary time information & units)

/Products (radar data)

/Products/Data (radar data products)

/Products/Information (radar data product information & units)

/Navigation (radar position and pointing)

/Navigation/Data (radar position data)

/Navigation/Information (radar position information & units)

This RevA data does not use HDF5 attributes, so most data fields have associated data fields describing the information and units. Look in the '/Information' subgroups. For example, the description of radar reflectivity ('/Products/Data/dBZe') is found in /Products/Information/dBZe_description. These 'units' and 'description' fields are not listed in this document.

Data Field	Units	Dim.	Information		
/Information - General Information					
Aircraft	Text		Aircraft ('NASA ER-2')		
DataContact	Text		Matthew L. Walker McLinden,		
			('matthew.l.mclinden@nasa.gov')		
ExperimentName	Text		IMPACTS2022		
FlightDate	Text		Flight date		
InstrumentPI	Text		Instrument PI, ('Matthew Walker		
			McLinden, NASA/GSFC')		
L1A_ProcessDate	Text		L1A File Process Date		
L1B_ProcessDate	Text		L1B File Process Date		
L1B_Revision	Text		Revision Letter		
L1B_Revision_	Text		Describes updates per revision.		
Note					
MissionPI	Text		Mission PI, ('Lynn McMurdie,		
			University of Washington')		
RadarName	Text		Radar Name ('CRS')		

/Time/Data - Time	Data		
TimeUTC	Seconds	Time	UTC profile time in Unix Epoch format
11meo10	Becomas	TIME	(seconds since 1970). Obtained from
			aircraft NTP. Note that CRS produces
			a profile every 0.25 seconds, however
			profiles are overlapping.
/Time/Information	 - Auviliaro	Time Inf	
TimeUTC	Seconds	1	Time of 0 UTC, Jan 01, 2020, for
01Jan2020	beconds	_	reference if the user does not have
0104112020			an easy Linux time converter
/Products/Data - Ra	dar Produc	+ Da+a	an easy minux time converter
dBZe	10*log10		Equivalent reflectivity factor in dB
dbze	(mm^6	Range, Time	
	,	Time	with 1-sigma noise threshold applied.
	/m^3)		$ K ^2 = 0.75$ rather than 0.93 for
			consistency with CloudSat. Use
			/Products/Information/MaskCoPol or
			/Products/Information/SNR for
			thresholding other than 1-sigma.
Velocity_	m/s	Range,	Doppler velocity with aircraft motion
uncorrected		Time	correction and 1-sigma noise
			threshold applied. Positive velocity
			is upward. Use
			/Products/Information/MaskCoPol for
			thresholding other than 1-sigma.
			Possible intrusion of horizontal
			winds into Doppler measurement due to
			slight off-nadir pointing. Check
			Navigation data (roll/pitch) to
			estimate impact or contact radar
			team.
Velocity_	m/s	Range,	Doppler velocity with aircraft motion
corrected		Time	and horizontal wind intrusion
			corrections applied. Positive
			velocity is upward. HRRR reanalysis
			winds were interpolated to the flight
			grid, converted to along/cross track
			components and scaled by aircraft
			pitch/roll to create an offset.
SpectrumWidth	m/s	Range,	Doppler velocity spectrum width
		Time	estimate including aircraft motion
			and beamwidth. 1-sigma noise
			threshold applied. Use
			/Products/Information/MaskCoPol or
			/Products/Information/SNR for
			thresholding other than 1-sigma.
LDR	dB	Range,	Linear Depolarization Ratio with 2-
		Time	sigma co- and cross-polarization
			noise thresholding applied. Use
			/Products/Information/MaskCrPol for
			thresholding other than 2-sigma.
sigma0	10*log10	Time	Ocean Normalized Radar Cross Section.
	(m^2		Only valid over ocean.
	/m^2)		
/Products/Informat:	ion - Radar	Product	Information

AircraftMotion	m/s	Time	Estimated aircraft motion in the
1111 01 01 010 01011	111, 5	110	direction of the beam that has been
			subtracted from the Doppler estimate.
AircraftTurnFlag	0 or 1	Time	Flag is 1 when plane is flying level
			without turns. Flag is 0 elsewhere.
AntennaSize	meters	1	Antenna Diameter (0.5 meters)
Antenna	degrees	1	Antenna 3 dB one-way beamwidth.
Beamwidth	degrees	_	interma 5 ab one way beamwraem.
AveragedPulses	#	1	Number of averaged pulses per
111.01.03.001.015.00	"	_	profile. Note that profiles are not
			independent, and are overlapping.
Frequency	Hz	1	Radar frequency (94 GHz)
GateSpacing	meters	1	Range gate spacing (26.25 meters)
HRRR AlongWind	m/s	Range,	HRRR along-track winds, interpreted
Indu-niongwind	1117 5	Time	to the flight grid.
HRRR CrossWind	m/s	Range,	HRRR cross-track winds, interpreted
muu_crosswing	1117 5	Time	to the flight grid.
MaskCoPol	Special	Range,	Co-polarization signal-to-noise mask.
TIABROOT OF	Special	Time	(Mask >= N) corresponds with (SNR >
		TIME	N-sigma) noise thresholding.
MaskCrPol	Special	Range,	Cross-polarization signal-to-noise
Haskerror	Special	Time	mask. (Mask >= N) corresponds with
		TIME	(SNR > N-sigma) noise thresholding.
noiseFloor	Relative	Time	Uncalibrated estimate of noise floor.
noiseriooi	power	TIME	oncalibrated estimate of noise from:
NominalAntenna	Text		Nadir
Pointing	Text		Nadii
PRI	Text		'224 us / 280 us staggered'.
	ICAC		Description of the pulse repetition
			interval.
Range	meters	Range	Range in meters from the aircraft of
Range	MCCCIS	Range	each range gate.
Resolution	meters	Range	Approximate horizontal resolution
Horizontal6dB	mecers	range	defined as the -6 dB width of spatial
HOTTZOHEGIOGE			weighting as a function of the
			antenna pattern, horizontal
			averaging, and range.
Resolution	meters	1	Approximate vertical resolution
Vertical6dB		_	defined as the -6 dB width of the
			range weighting function
SNR	W/W	Range,	Estimated Signal-to-Noise Ratio.
		Time	
Velocity	m/s	Range,	The horizontal wind offset removed
horizwind	, -	Time	from the uncorrected Doppler velocity
offset			to yield corrected Doppler velocity.
Wavelength	m	1	Radar wavelength
/Navigation/Data -	Navigation	Data	
Drift	degrees	Time	Difference between track and heading
EastVelocity	m/s	Time	Eastward portion of velocity
Heading	degrees	Time	Aircraft heading in degrees from
			north. 90 degrees is Eastward.
Height	meters	Time	Aircraft height above sea level.
	11100010		
Latitude	dearees	Time	Latitude
Latitude Longitude	degrees degrees	Time Time	Latitude Longitude

NominalDistance	meters	Time	Nominal total along-track distance calculated by integrating instantaneous velocity. Used for simple plotting.
NorthVelocity	m/s	Time	Northward portion of velocity
Pitch	degrees	Time	Pitch
Roll	degrees	Time	Roll
Track	degrees	Time	Direction of motion in degrees from north. 90 degrees is Eastward motion.
UpVelocity	m/s	Time	Upward velocity.
dxdr	m/m	Time	Data cross-track distance from aircraft per radar range. Positive is in the starboard direction.
dydr	m/m	Time	Data along-track distance from aircraft per radar range. Positive is in the forward direction.
dzdr	m/m	Time	Data vertical distance from the aircraft per radar range. Positive is in upward direction.